

THOMAS J KIGIN
EXECUTIVE VICE PRESIDENT
CHIEF ADMINISTRATIVE OFFICER
GENERAL COUNSEL
TKIGIN@MPR.ORG



Stamp and Return

January 18, 2006

Marlene H Dortch, Secretary
Federal Communications Commission
Digital Radio Notification
445 Twelfth Street, SW
Room 2-B450
Washington, DC 20554

RECEIVED

JAN 20 2006

Federal Communications Commission
Office of Secretary

RE: KNSR-FM, Collegeville, MN
Facility Identification Number: 42938
Notification of Digital Operation

Dear Ms. Dortch:

Minnesota Public Radio ("MPR") hereby notifies the Commission of the commencement of digital broadcasting using iBiquity Digital Corporation's HD Radio™ technology. Consistent with the Commission's recent Order on interim digital operations¹, MPR hereby supplies the following information in support of this notification.

1. Date. MPR commenced digital broadcasts on Jan 12, 2006.
2. Certification of Facilities. MPR hereby certifies its facilities conform to the iBiquity Digital Corporation hybrid specifications.
3. Technical Reference. In the event of interference, questions should be directed to MPR's technical representative:

Name: Michael Hendrickson (primary contact)
Doug Thompson (secondary contact)
Phone number: 651-290-1500

4. Transmitter Output Power.

Analog: 22.8 kilowatts
Digital: 1.99 kilowatts

¹ *Digital Audio Broadcasting Systems and Their Impact on the Terrestrial Radio Broadcast Service*, MM Docket No. 99-325, First Report and Order (October 11, 2002).

Marlene H Dortch

1/18/2006

Page 2

6. Radiation Exposure Certification. MPR hereby certifies that its interim digital operations will not cause human exposure to levels of radio frequency radiation in excess of Section 1.1310 of the Commission's rules and is therefore categorically excluded from environmental processing pursuant to Section 1.13-6A(b).

Any questions concerning this notification should be directed to Mitzi T Gramling at (651) 290-1259, mgramling@mpr.org or at 480 Cedar Street, Saint Paul, MN 55101.

Sincerely,



Thomas J Kigin
Executive Vice President